



Add-On Products

# Digital Sign Service

---

## Parameter Guide

**For DSS 4.2**

**Version: 04**

Add-On Products  
Roms Hule 8 – 7100 Vejle – Denmark  
Phone: +45 7944 7000 Fax: +45 7944 7001

Mail: [info@add-on.com](mailto:info@add-on.com)  
Internet: [www.add-on.com](http://www.add-on.com)



No parts of this publication may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without the permission from Add-On Products.


# Table of contents

---

Table of contents .....	2
CHAPTER 1.....	3
Introduction .....	3
CHAPTER 2.....	4
Parameters .....	4

## CHAPTER 1. Introduction

In Digital Sign Service, **parameters** are used for system configuration. Every parameter has its own functionality. These parameters will be established in DSS Web Manager:



Key	Value	Description
<input type="checkbox"/> Workspace.ShowReservationLocation	TRUE	Workspace Booking Show/Hide the Location value of reservations
<input type="checkbox"/> Workspace.ShowReservationOrganizer	TRUE	Workspace Booking Show/Hide the Organizer value of reservations
<input type="checkbox"/> Workspace.ShowReservationResource	TRUE	Workspace Booking Show/Hide the Resource value of reservations
<input type="checkbox"/> Workspace.ShowReservationSubject	TRUE	Workspace Booking Show/Hide the Subject value of reservations

This Parameter Guide is intended for Digital Sign Service System Administrator and describes functions of each and every parameter in the system.

CHAPTER 2.

# Parameters

Parameters	Descriptions
<b>Workspace.ShowReservationOrganizer</b>	<p>This parameter controls the availability of organizer name in the Workspace app interface.</p> <p>Values of this parameter can be:</p> <ul style="list-style-type: none"> <li>- True: The organizer name will be displayed</li> <li>- False: The organizer name will be hidden</li> </ul> <p><b>NOTE:</b> Value of this parameter is not case-sensitive.</p> <p>Default value of this parameter is True.</p> <p>If the parameter is not created or created with invalid value, the default value will be employed.</p>
<b>Workspace.ShowReservationSubject</b>	<p>This parameter controls the availability of reservation subject in the Workspace app interface.</p> <p>Values of this parameter can be:</p> <ul style="list-style-type: none"> <li>- True: The reservation subject will be displayed</li> <li>- False: The reservation subject will be hidden</li> </ul> <p><b>NOTE:</b> Value of this parameter is not case-sensitive.</p> <p>Default value of this parameter is True.</p> <p>If the parameter is not created or created with invalid value, the default value will be employed.</p>
<b>Workspace.ShowReservationLocation</b>	<p>This parameter controls the availability of reservation location in the Workspace app interface.</p> <p>Values of this parameter can be:</p> <ul style="list-style-type: none"> <li>- True: The reservation location will be displayed</li> <li>- False: The reservation location will be hidden. This will hide the floorplan in Find Colleague page as well.</li> </ul> <p><b>NOTE:</b> Value of this parameter is not case-sensitive.</p> <p>Default value of this parameter is True.</p> <p>If the parameter is not created or created with invalid value, the default value will be employed.</p>

<p><b>Workspace.ShowReservationResource</b></p>	<p>This parameter controls the availability of resource information in the Find colleagues view in Workspace app interface.</p> <p>Values of this parameter can be:</p> <ul style="list-style-type: none"> <li>- True: The resource information will be displayed.</li> <li>- False: The reservation location will be hidden.</li> </ul> <p><b>NOTE:</b> Value of this parameter is not case-sensitive.</p> <p>Default value of this parameter is True.</p> <p>If the parameter is not created or created with invalid value, the default value will be employed.</p>
<p><b>AuthenticationLog</b></p>	<p>This parameter controls the logging for QRadar system.</p> <p>Default value of this parameter is <b>False</b>. With this value, the logging is off.</p> <p>If value of this parameter is <b>True</b>, the logging is turned on.</p> <p>If this parameter is not created or created with any other value than <b>True</b>, the default value will be employed.</p>
<p><b>Workspace.ShowFindColleague</b></p>	<p>This parameter controls the availability of the function Find Colleague in Workspace Booking app.</p> <p>Default value of this parameter is <b>True</b>. With this value, the function is enabled.</p> <p>If value of this parameter is <b>False</b>, the function is turned off.</p> <p>If this parameter is not created or created with any other value than <b>False</b>, the default value will be employed.</p>
<p><b>Client.AttendeesAsOrganizerRole</b></p>	<p>This parameter controls the function of enabling attendees to Confirm/End/Extend from the Digital Sign Client using ID card and keyboard.</p> <p>Default value of this parameter is <b>False</b>. With this value, the function is disabled.</p> <p>If value of this parameter is <b>True</b>, the function is turned on.</p> <p>If this parameter is not created or created with any other value than <b>True</b>, the default value will be employed.</p>